

Your 2 in 1 Solution

Corrosion & Flash Rust Inhibitor



Product Description

HEUCORIN® FR is a zinc salt of phthalic acid, It combines the properties of a high performance organic corrosion and a highly effective flash/early rust inhibitor.

Application Profile

Water borne coatings can cause corrosion to metallic substrates in the form of flash- or early rusting, which has to be inhibited in addition to the must of sufficient long term protection. The use of organic combined with inorganic corrosion inhibitors together with flash/early rust inhibitors are the present state of the art to control these effects.

HEUCORIN® FR is a new innovative product on the market, being both, a high performance organic corrosion and a highly effective flash/early rust inhibitor. You will find the advantages in your formulations for water borne Protective Coatings on a variety of substrates.

Packaging

-) 10 kg paper bags
- different types of packaging are available on request

Regulations

> HEUCORIN® FR is listed in the European (EINECS) and Japanese (MITI) inventories

Benefits

- > Effective over weld seams
- > Increases water resistance
- > Provides "In-Can Corrosion Protection"



> Inhibts flash/early rust

<u>Binder</u>

Styrene Acrylic

<u>Substrate</u>

Sand blasted steel

Exposure

192 hrs salt spray testing (ASTM B117-03)

ISO 9227











- Taking advantage of synergies by combining inorganic corrosion protection pigments with an organic corrosion inhibitor
- > Improves early substrate protection resulting in increased long term protection
- > Reduces the tendency of blistering
-) Improves adhesion, especially wet adhesion



www.heubachcolor.de

® = Registered trademark of Heubach Gmbl

Our product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as a guarantee. The processing company must establish the suitability of individual products itself. As their use lies beyond our knowledge and control, we cannot accept any liability relating to the use of our products in particular applications. In addition to that, the legal rights of third parties must always be considered. The specification agreed between the customer and ourselves is the basis upon which our general sales and delivery conditions are set and is the deciding factor concerning any liabilities. Our standard specification is then valid if no specification has been agreed upon between the customer and ourselves.



Europe: Heubach GmbH · sales@heubachcolor.de **USA:** Heucotech Itd. · sales@heubachcolor.com

Asia: Heubach Colour Pvt. Ltd. · sales@heubach-india.com

04/2008